Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation Micropur Classic Flüssig

Hazard components

Silver

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of uses [SU]

SU21 Consumer uses: Private households (= general public = consumers)

Product Categories [PC]

disinfectants

PC8 Biocidal products

Use of the substance/mixture

Preservation of the quality of drinking water in reservoirs

1.3 Details of the supplier of the safety data sheet

Distribution Europe

Katadyn Deutschland GmbH
Hessenring 23
D-64546 Mörfelden-Walldorf
Department responsible for information:
This number is only available at office times.
Telephone +49 6105 45 67 89

Manufacturer / Distribution Switzerland

Katadyn Produkte AG Pfäffikerstrasse 37 CH-8310 Kemptthal Telephone +41 44 839 21 11

Department responsible for information: This number is only available at office times. Telephone +41 44 839 21 11

E-mail (competent person): info@katadyn.ch

* 1.4 Emergency telephone number

Swiss toxicological Information Center 145

Europe: GBK GmbH +49 (0)6132-84463

* SECTION 2: Hazards identification

* 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] Classification procedure

[02.]

Aquatic Chronic 1, H410

Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

Hazard statements for environmental hazards

H410 Very toxic to aquatic life with long lasting effects.

Remark

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

* 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components

Silver

Hazard pictograms



GHS09

Signal word

Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local legislation.

2.3 Other hazards

* Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

* SECTION 3: Composition / information on ingredients

* 3.2 Mixtures

Hazardous ingredients

| CAS No. | EC No. | Substance name | Concentration | Classification according to Regulation (EC) No 1272/2008 [CLP] | SCL/ M/ ATE |
|-----------|-----------|----------------|----------------|--|--|
| 7440-22-4 | 231-131-3 | Silver | < 0.1 weight-% | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | M=10 (Aquatic Acute 1) M=10 (Aquatic Chronic 1) |

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Micropur Classic Flüssig

 Print date
 13.04.2023

 Revision date
 22.02.2023

 Version
 1.1 (en)

replaces version of 13.09.2022 (1.0)

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In the event of symptoms refer for medical treatment.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

If swallowed seek medical advice immediately and show the doctor packing or label.

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect).

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Extinguishing powder Carbon dioxide (CO2) Water spray jet

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire formation of dangerous gases possible.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Additional information

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Micropur Classic Flüssig

 Print date
 13.04.2023

 Revision date
 22.02.2023

 Version
 1.1 (en)

replaces version of 13.09.2022 (1.0)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes. Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment

Send in suitable containers for recovery or disposal. Suitable material for taking up: Universal binder

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Avoid contact with skin and eyes.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

The product is not:

Combustible

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Keep in a cool, well-ventilated place.

Avoid:

Eye contact

Skin contact

Take the usual precautions when handling chemicals.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

Keep away from food and drink.

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container.

Keep container tightly closed.

Storage class

11 Combustible solids that cannot be assigned to any of the above storage classes

Materials to avoid

Do not store together with:

Food and feedingstuffs

Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

| CAS No. | EC No. | Substance name | occupational exposure limit value |
|-----------|-----------|----------------------------------|-----------------------------------|
| 7440-22-4 | 231-131-3 | Silver, metallic | 0,1 [mg/m³] 2000/39/EC |
| | 231-131-3 | Silver (soluble compounds as Ag) | 0,01 [mg/m³] 2006/15/EC |
| 7440-22-4 | 231-131-3 | Silver, metallic | 0,1 [mg/m³] (IE) |
| 7440-22-4 | 231-131-3 | Silver compounds, soluble | 0,01 [mg/m³] (IE) |
| 7440-22-4 | 231-131-3 | Silver, metallic | 0,1 [mg/m³] (UK) |
| 7440-22-4 | 231-131-3 | Silver compounds, soluble | 0,01 [mg/m³] (UK) |

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure

Provide suitable extraction at the processing machines.

Personal protection equipment

Eye/face protection

safety goggles

Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: nitrile rubber or butyle rubber; 0,5 mm; ca 480 Min.

Please observe the glove manufacturer's instructions on permeability and ruptur times as well as the specific workplace conditions.

Body protection:

Light protective clothing.

Respiratory protection

No special measures necessary if used correctly.

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

liquid

Micropur Classic Flüssig Print date 13.04.2023 Revision date 22.02.2023 Version 1.1 (en)

replaces version of

13.09.2022 (1.0)

Colour

colourless

Odour

odourless

Safety relevant basis data

| | Value | Method | Source, Remark |
|--|-----------------------|--------|--------------------|
| Odour threshold: | not determined | | |
| Melting point/freezing point | Melting point | | |
| Boiling point or initial boiling point and boiling range | 100 °C | | |
| flammability | not determined | | |
| Lower and upper explosion limit | not determined | | |
| Flash point | not determined | | |
| Auto-ignition temperature | not determined | | |
| Decomposition temperature | not determined | | |
| pH | in delivery state 5.9 | | |
| Viscosity | dynamic 1.6 cSt | | |
| Solubility(ies) | Water solubility | | miscible |
| Partition coefficient n- octanol/water (log value) | | | not determined |
| Vapour pressure | < 0.03 bar | | |
| Density and/or relative density | 1.2 g/cm³ (20°C) | | |
| Relative vapour density | not determined | | |
| particle characteristics | not determined | | |
| Other information | | | |
| ner safety characteristics | | | |
| | Value | Method | Source, Remark |
| Explosive properties | | | The product is not |

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions known.

10.2 Chemical stability

Stable under normal conditions.

explosiv.

Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No decomposition if used as directed.

10.5 Incompatible materials

Reactions with strong acids. Oxidising agent, strong

10.6 Hazardous decomposition products

Stable under normal conditions.

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

ite toxicity

Animal data

| | Effective dose | Method, Evaluation | Source, Remark |
|---------------------------|-----------------------------|--------------------|----------------|
| Acute oral toxicity | > 2000 mg/kg Species Rat | | |
| Acute dermal toxicity | not determined | | |
| Acute inhalation toxicity | not determined | | |

Skin corrosion/irritation

Animal data

Result / Evaluation Method Source, Remark non-irritant.

Serious eye damage/irritation

Animal data

Result / Evaluation Method Source, Remark non-irritant.

Sensitisation to the respiratory tract

not determined

Skin sensitisation

Animal data

Result / Evaluation Dose / Concentration Method Source, Remark not sensitising.

Germ cell mutagenicity

oxicity

Value Method Result / Evaluation Remark
In vitro No data available.
mutagenicity/genot

Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

Carcinogenicity

Animal data

Value Method Result / Evaluation Remark

Carcinogenicity No data available.

Reproductive toxicity

Animal data

Value Method Result / Evaluation Remark

Reproductive No data available. toxicity

STOT-single exposure

not determined

STOT-repeated exposure

not determined

Aspiration hazard

not determined

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

Effective dose Method, Evaluation Source, Remark

Endocrine disrupting properties No data available

Tff ative dage

* Additional information

No data available

Other information

In the case of appropiate handling and intended use no healthwise unfavorable effects of the product are well-known.

Toxicological data are not available.

* SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

| | Effective dose | Method,Evaluation | Source, Remark |
|---|----------------|-------------------|----------------|
| Acute (short-term) fish toxicity | | | |
| Chronic (long-term) fish toxicity | not determined | | |
| Acute (short-term) toxicity to crustacea | | | |
| Chronic (long-term) toxicity to aquatic invertebrate | not determined | | |
| Acute (short-term) toxicity to algae and cyanobacteria | | | |
| Chronic (long-term) toxicity to aquatic algae and cyanobacteria | not determined | | |
| Toxicity to other aquatic plants/organisms | not determined | | |
| Toxicity to microorganisms | not determined | | |
| | | | |

Mathad Evaluation

Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

12.2 Persistence and degradability

ValueMethodSource, RemarkBiodegradationNo data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

* 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Do not discharge into the drains/surface waters/groundwater.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecological dates are not available.

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

160507 * discarded inorganic chemicals consisting of or containing hazardous substances

Appropriate disposal / Product

In accordance with regulations for special waste, must be taken to a special waste disposal. Undiluted product rests: take to local special waste collecting point.

Appropriate disposal / Package

Non-contaminated packages may be recycled.

Handle contaminated packages in the same way as the substance itself.

Remark

Partially emptied packaging must be taken to point of sale or to a special waste disposal. Dispose of empty containers as urban waste.

* **SECTION 14: Transport information**

| | Land transport (ADR/RID) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|---------------------------------|---|---|--|
| 14.1 UN number or ID number | UN 3082 | UN 3082 | UN 3082 |
| 14.2 UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver) | Environmentally hazardous substance, liquid, n.o.s. (Silver) |
| 14.3 Transport hazard class(es) | 9 | 9 | 9 |

Micropur Classic Flüssig

Print date 13.04.2023
Revision date 22.02.2023
Version 1.1 (en)
replaces version of 13.09.2022 (1.0)

| | Land transport (ADR/RID) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|----------------------------|------------------------------|---------------------------|---------------------------------------|
| 14.4 Packing group | III | III | III |
| 14.5 Environmental hazards | ENVIRONMENTALLY HAZARDOUS | ENVIRONMENTALLY HAZARDOUS | ENVIRONMENTALLY HAZARDOUS |

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

All transport carriers

Additional marking for environmentally hazardous (fish and tree) required.

Land transport (ADR/RID)

UN number or ID number UN 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Silver)

Transport hazard class(es) 9
Hazard label(s) 9
Classification code M6
Packing group III

Environmental hazards ENVIRONMENTALLY HAZARDOUS

Limited quantity (LQ) 5 L

Special provisions 274, 335, 375, 601

Tunnel restriction code -

Remark

The product is not subject of the regulations ADR / RID in packaging < 5 L / < 5 kg in accordance with Special Provision 375.

Sea transport (IMDG)

UN number or ID number UN 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Silver)

Transport hazard class(es) 9
Packing group III

Environmental hazards ENVIRONMENTALLY HAZARDOUS

Limited quantity (LQ) 5 L

Marine pollutant No

EmS F-A, S-F

Remark

The product is not subject of the regulations IMDG in packaging < 5 L / < 5 kg in accordance with section 2.10.2.7 IMDG.

Micropur Classic Flüssig

13.04.2023 Print date Revision date 22.02.2023 Version 1.1 (en)

13.09.2022 (1.0) replaces version of

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Silver)

Transport hazard class(es) Packing group Ш

Environmental hazards **ENVIRONMENTALLY HAZARDOUS**

The product is not subject of the IATA regulations in packaging < 5 L / < 5 kg in accordance with Special Provision A197.

* SECTION 15: Regulatory information

* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Other regulations (EU)

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC

VOC content, ready-to-use condition 0 g/L

VOC content, delivery state 0 % VOC-value 0 g/L

15.2 Chemical Safety Assessment

National regulations

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Additional information

National and local regulations concerning chemicals shall be observed.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Relevant H- and EUH-phrases (Number and full text)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Indication of changes

* Data changed compared with the previous version